

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. CONTRACT ID CODE	PAGE OF PAGES	
				J	1	2
2. AMENDMENT/MODIFICATION NO. 0003		3. EFFECTIVE DATE 25-Nov-2003	4. REQUISITION/PURCHASE REQ. NO. W807PM-3266-7790		5. PROJECT NO.(If applicable)	
6. ISSUED BY VBURG CONSOL CONTRACTING OFC 4155 CLAY ST VICKSBURG MS 39183-3435		CODE W912EE	7. ADMINISTERED BY (If other than item 6) See Item 6		CODE	
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)				X	9A. AMENDMENT OF SOLICITATION NO. W912EE-04-B-0001	
				X	9B. DATED (SEE ITEM 11) 24-Oct-2003	
					10A. MOD. OF CONTRACT/ORDER NO.	
					10B. DATED (SEE ITEM 13)	
CODE		FACILITY CODE				
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS						
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input checked="" type="checkbox"/> is extended, <input type="checkbox"/> is not extended.						
<p>Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods:</p> <p>(a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.</p>						
12. ACCOUNTING AND APPROPRIATION DATA (If required)						
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.						
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.						
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).						
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:						
D. OTHER (Specify type of modification and authority)						
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.						
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) Reference Solicitation No. W912EE-04-B-0001, for Red River Basin/Section 1135 Environmental Restoration, Sulphur River Wildlife Management Area, Water Control Structures and Plugs, Miller County, Arkansas, is amended as follows: <p style="text-align: center;">BID OPENING DATE AND TIME</p> A new Bid Opening Date and Time of 09 December 2003, at 1400 hours is hereby established. <p style="text-align: center;">(CONTINUED ON PAGE 2.)</p>						
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.						
15A. NAME AND TITLE OF SIGNER (Type or print)			16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)			
			TEL:		EMAIL:	
15B. CONTRACTOR/OFFEROR		15C. DATE SIGNED	16B. UNITED STATES OF AMERICA		16C. DATE SIGNED	
_____ (Signature of person authorized to sign)			BY _____ (Signature of Contracting Officer)		24-Nov-2003	

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

TECHNICAL SPECIFICATIONS

Section 02610 CORRUGATED METAL SHEETING has been added.

DRAWINGS

Drawing Nos. B-02, B-03 and S-11 have been reissued.

Pages revised or added by this amendment have the notation "Revised by Amendment 0003" at the bottom of the page.

ENCLS: Section 02610, pages 1 thru 3.

There are no other changes associated with this amendment.

SECTION TABLE OF CONTENTS

DIVISION 02 - SITE WORK

SECTION 02610

CORRUGATED STEEL SHEETING

PART 1 GENERAL

1.1 REFERENCES

1.2 SUBMITTALS

PART 2 PRODUCTS

2.1 CORRUGATED STEEL SHEETING

PART 3 EXECUTION

3.1 INSTALLATION

3.1.1 Corrugated Steel Sheeting

-- End of Section Table of Contents --

SECTION 02610

CORRUGATED STEEL SHEETING

PART 1 GENERAL

1.1 REFERENCES

The publications listed below form a part of this specification to the extent referenced. The publications are referred to in the text by basic designation only.

ASTM INTERNATIONAL (ASTM)

ASTM A 123/A 123M (2002) Zinc (Hot-Dip Galvanized) Coatings on Iron and Steel Products

ASTM A 857/A 857M (2000a) Steel Sheet Piling, Cold Formed, Light Gage

1.2 SUBMITTALS

Government approval is required for all submittals with a "G" designation; submittals not having a "G" designation are for information only. When used, a designation following the "G" designation identifies the office that will review the submittal for the Government. The following shall be submitted in accordance with Section 01330 SUBMITTAL PROCEDURES:

SD-07 Certificates

Corrugated Steel Sheeting

The Contractor shall submit a statement signed by a responsible official of the manufacturer of the corrugated steel sheeting, attesting that the product meets specified requirements. The statement must be dated after the award of this contract, must name the project, and must list the specific requirements which are being certified.

PART 2 PRODUCTS

2.1 CORRUGATED STEEL SHEETING

Corrugated steel sheeting shall conform to the requirements of ASTM A 857/A 857M and shall be galvanized in accordance with ASTM A 123/A 123M. The weight of the metal before corrugating shall be not less than 5.78 pounds per square foot (10 gage). The corrugated steel sheeting shall be the interlocking type.

PART 3 EXECUTION

3.1 INSTALLATION

3.1.1 Corrugated Steel Sheeting

The corrugated steel sheeting shall be installed as indicted on the plans.

The sheeting may be driven using a hand maul, a light pneumatic hammer, or regular pile driving equipment. A driving head shall be used.

-- End of Section --