

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE	PAGE OF PAGES	
2. AMENDMENT/MODIFICATION NO. 0002			J	1	2
3. EFFECTIVE DATE 23-Jul-2004		4. REQUISITION/PURCHASE REQ. NO. W807PM-4153-2502		5. PROJECT NO.(If applicable)	
6. ISSUED BY VBURG CONSOL CONTRACTING OFC 4155 CLAY ST VICKSBURG MS 39183-3435		CODE W912EE	7. ADMINISTERED BY (If other than item 6) <b>See Item 6</b>		
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)			X	9A. AMENDMENT OF SOLICITATION NO. W912EE-04-B-0016	
			X	9B. DATED (SEE ITEM 11) 23-Jun-2004	
				10A. MOD. OF CONTRACT/ORDER NO.	
				10B. DATED (SEE ITEM 13)	
CODE		FACILITY CODE			
<b>11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS</b>					
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input checked="" type="checkbox"/> is extended, <input type="checkbox"/> is not extended. Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.					
12. ACCOUNTING AND APPROPRIATION DATA (If required)					
<b>13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.</b>					
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.					
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).					
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:					
D. OTHER (Specify type of modification and authority)					
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input checked="" type="checkbox"/> is required to sign this document and return <u>1</u> copies to the issuing office.					
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) Reference Solicitation No. W912EE-04-B-0016, for J. Bennett Johnston Waterway, Mississippi River to Shreveport, LA, Pool 3, Shell Point Structure and Downstream Crossings, is amended as follows:  A new bid opening time and date of 1400 Hours, 03 August 2004 is hereby established. Section 02547 GRANULAR COURSES, page 3 is revised and replaced. Pages revised by this amendment have the notation "Revised by Amendment 0002" at the bottom of the page. Text deleted by this amendment is shown as overstruck. Encls: Section 02547, page 3					
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.					
15A. NAME AND TITLE OF SIGNER (Type or print)			16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)		
			TEL: _____ EMAIL: _____		
15B. CONTRACTOR/OFFEROR		15C. DATE SIGNED	16B. UNITED STATES OF AMERICA		16C. DATE SIGNED
_____ (Signature of person authorized to sign)			BY _____ (Signature of Contracting Officer)		23-Jul-2004

The regulatory requirements listed below form a part of this specification to the extent referenced. The regulatory requirements are referred to in the text by basic designation only.

LOUISIANA DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT (LA DOTD)

LA DOTD-01 (1992) Standard Specifications for Roads and Bridges

#### 1.4 WEATHER LIMITATIONS

Granular courses shall not be constructed when the ambient temperature is below 35 degrees F, or on surfaces that are frozen or contain frost. It shall be the responsibility of the Contractor to protect, by approved method or methods, all areas of granular courses not accepted or covered by subsequent courses. Surfaces damaged by freezing, rainfall, or other weather conditions, or by the Contractor's use of the surface shall be brought to a satisfactory condition by the Contractor prior to the construction of subsequent courses or acceptance by the Government.

### PART 2 PRODUCTS

#### 2.1 AGGREGATES

##### 2.1.1 Granular Base Course

Granular base course material for detour roads shall meet the requirements of LA DOTD-01, Section 1003.03 BASE COURSE AGGREGATES. Granular base course material for permanent roads shall meet the requirements of LA DOTD-01, Section 1003.03 BASE COURSE AGGREGATES, Para (d) Stone, or (e) Recycled Portland Cement Concrete.

##### 2.1.2 Granular Surface and Shoulder Course

Granular surface and shoulder course material shall meet the requirements of LA DOTD-01, Section 1003.04 AGGREGATES FOR SURFACE COURSE, (a) Stone, ~~except that only limestone~~ shall be used, or at the Contractor's option, (b) Sand-Clay-Gravel may be used.

##### 2.1.3 Granular Fill

Granular fill for subaqueous construction of corrugated metal pipes shall meet the requirements of LA DOTD-01, Section 1003.03 BASE COURSE AGGREGATES, Par. (d) Stone, (e) Recycled Portland Cement Concrete, or (f) Crushed Slag.

#### 2.2 SAMPLING AND TESTING

Sampling and testing shall be the responsibility of the Contractor. Sampling and testing shall be performed by an approved commercial testing laboratory or by the Contractor, subject to approval. If the Contractor elects to establish testing facilities of his own, approval of such facilities shall be based on compliance with ASTM D 3740, and no work requiring testing will be permitted until the Contractor's facilities have been inspected and approved.

##### 2.2.1 Sampling