

MRL SEIS II Work Items	District	State	Species	Season				Total
				Breeding	Migration	Winter	Year-round	
			Rusty Blackbird			1.87		1.87
			Wood Stork			0.04		0.04
119.2-R	MVN	Louisiana	Bald Eagle				0.23	0.23
			Prothonotary Warbler	0.07				0.07
			Red-headed Woodpecker	0.1			0.2	0.3
			Rusty Blackbird			2.25		2.25
			Wood Stork			0.04		0.04
117.3-R	MVN	Louisiana	Bald Eagle				1.07	1.07
			Prothonotary Warbler	1.07	0.01			1.08
			Red-headed Woodpecker				1.07	1.07
			Rusty Blackbird			1.1		1.1
115-L	MVN	Louisiana	Rusty Blackbird			2.26		2.26
115.5-R	MVN	Louisiana	Bald Eagle				0.09	0.09
			Prothonotary Warbler	0				0
			Red-headed Woodpecker	0.06			0.01	0.07
			Rusty Blackbird			0.96		0.96
			Wood Stork			0.08		0.08
109.6-R	MVN	Louisiana	Wood Stork			0.07		0.07
108.3-R	MVN	Louisiana	Red-headed Woodpecker	0				0
			Rusty Blackbird			0.07		0.07
100.4-R	MVN	Louisiana	Rusty Blackbird	0	0	0.1	0	0.1
98.7-L	MVN	Louisiana	Prothonotary Warbler		0.47			0.47
			Red-headed Woodpecker	0.04			0.56	0.6
			Rusty Blackbird			1.13		1.13
98.3-R	MVN	Louisiana	Wood Stork			0.06		0.06
97.4-R	MVN	Louisiana	Wood Stork			0.08		0.08
94.6-R	MVN	Louisiana	Wood Stork			0.04		0.04
94.5-L	MVN	Louisiana	Wood Stork			0		0

MRL SEIS II Work Items	District	State	Species	Season				Total
				Breeding	Migration	Winter	Year-round	
92-L	MVN	Louisiana	Bald Eagle				1.31	1.31
			Prothonotary Warbler		1.31			1.31
			Red-headed Woodpecker				1.31	1.31
			Rusty Blackbird			1.31		1.31
			Wood Stork			0.52		0.52
92.6-L	MVN	Louisiana	Bald Eagle				7.02	7.02
			Prothonotary Warbler		7.02			7.02
			Red-headed Woodpecker				7.02	7.02
			Rusty Blackbird			7.11		7.11
			Wood Stork			2.29		2.29
91-L	MVN	Louisiana	Wood Stork			0.78	0.78	
91.2-L	MVN	Louisiana	Wood Stork			3.59	3.59	
90-L	MVN	Louisiana	Bald Eagle				0.83	0.83
			Prothonotary Warbler		0.83			0.83
			Red-headed Woodpecker				0.83	0.83
			Rusty Blackbird			0.83		0.83
			Wood Stork			0.01		0.01
90.8-L	MVN	Louisiana	Wood Stork			0.79	0.79	
90.6-R	MVN	Louisiana	Rusty Blackbird			0	0	
			Wood Stork			0.09	0.09	
88-R	MVN	Louisiana	Bald Eagle				2.14	2.14
			Prothonotary Warbler		1.85			1.85
			Red-headed Woodpecker	0.18			2.81	2.99
			Rusty Blackbird			4.54		4.54
			Wood Stork			1.52		1.52
88.5-L	MVN	Louisiana	Bald Eagle				2.63	2.63
			Prothonotary Warbler		2.63			2.63
			Red-headed Woodpecker				2.63	2.63
			Rusty Blackbird			2.72		2.72
			Wood Stork			1.12		1.12
86.1-L	MVN	Louisiana	Bald Eagle				1.08	1.08
			Prothonotary Warbler		1.1			1.1

MRL SEIS II Work Items	District	State	Species	Season			Year- round	Total
				Breeding	Migration	Winter		
			Red-headed Woodpecker	0.05			1.08	1.13
			Rusty Blackbird			5.85		5.85
			Wood Stork			1.18		1.18
84.3-R	MVN	Louisiana	Bald Eagle				0.27	0.27
			Red-headed Woodpecker				0.27	0.27
			Rusty Blackbird			4.12		4.12
67-R	MVN	Louisiana	Bald Eagle				14.48	14.48
			Prothonotary Warbler		12.55			12.55
			Red-headed Woodpecker	1.35			13.45	14.8
			Rusty Blackbird			32.74		32.74
			Swallow-tailed Kite	0.55				0.55
			Wood Stork			6.36		6.36
67-L	MVN	Louisiana	Bald Eagle				2.32	2.32
			Prothonotary Warbler		1.23			1.23
			Red-headed Woodpecker	0.68			2.12	2.8
			Rusty Blackbird			48.09		48.09
			Swallow-tailed Kite	0.07				0.07
			Wood Stork			24.99		24.99
61.5-R	MVN	Louisiana	Bald Eagle				8.3	8.3
			Prothonotary Warbler		5.39			5.39
			Red-headed Woodpecker	0.04			7.81	7.85
			Rusty Blackbird			15.8		15.8
			Wood Stork			6.25		6.25
58-R	MVN	Louisiana	Bald Eagle				8.68	8.68
			Prothonotary Warbler		4.32			4.32
			Red-headed Woodpecker	2.22			7.99	10.21
			Rusty Blackbird			12.35		12.35
			Wood Stork			9.17		9.17
52.5-R	MVN	Louisiana	Bald Eagle				13.62	13.62
			Prothonotary Warbler		8.27			8.27
			Red-headed Woodpecker	7.85			12.26	20.1
			Rusty Blackbird			26.22		26.22
			Swallow-tailed Kite	0.01				0.01
			Wood Stork			6.08		6.08

MRL SEIS II Work Items	District	State	Species	Season				Total
				Breeding	Migration	Winter	Year- round	
51-L	MVN	Louisiana	Bald Eagle			4.05	19.43	23.48
			Prothonotary Warbler		23.52			23.52
			Red-headed Woodpecker	2.24			23.72	25.96
			Rusty Blackbird			54.11		54.11
			Swallow-tailed Kite	0.04				0.04
			Wood Stork				2.33	2.33
47.5-R	MVN	Louisiana	Bald Eagle			6.73	3.74	10.47
			Prothonotary Warbler		6.46			6.46
			Red-headed Woodpecker	0.46			10.25	10.71
			Rusty Blackbird			18.46		18.46
			Wood Stork				4.89	4.89
37-R	MVN	Louisiana	Bald Eagle			0.84	0	0.85
			Prothonotary Warbler		2.08			2.08
			Red-headed Woodpecker	1.88			2.31	4.19
			Rusty Blackbird			13.74		13.74
			Wood Stork				11.1	11.1
Cumulative Total				1,137	79	1,500	969	3,685

Habitat (acres) for migratory birds listed under USFWS IPaC that will potentially be impacted by MRL SEIS II project alterations within Work Items for Alternative 2 (Traditional) according to individual work item, USACE district, State, species, and season.

MRL SEIS II Work Items	District	State	Species	Season			Year- round	Total
				Breeding	Migration	Winter		
100.4-R	MVN	Louisiana	Rusty Blackbird	0.00	0.00	0.10	0.00	0.10
108.3-R	MVN	Louisiana	Red-headed Woodpecker	0.00				0.00
			Rusty Blackbird			0.07		0.07
109.6-R	MVN	Louisiana	Wood Stork			0.07		0.07
115.5-R	MVN	Louisiana	Bald Eagle				0.09	0.09
			Prothonotary Warbler	0.00				0.00
			Red-headed Woodpecker	0.06			0.01	0.07
			Rusty Blackbird			0.96		0.96
			Wood Stork			0.08		0.08
117.3-R	MVN	Louisiana	Bald Eagle				1.07	1.07
			Prothonotary Warbler	1.07	0.01			1.08
			Red-headed Woodpecker				1.07	1.07
			Rusty Blackbird			1.10		1.10
119.2-R	MVN	Louisiana	Bald Eagle				0.23	0.23
			Prothonotary Warbler	0.07				0.07
			Red-headed Woodpecker	0.10			0.20	0.30
			Rusty Blackbird			2.25		2.25
			Wood Stork			0.04		0.04
124.3-R	MVN	Louisiana	Bald Eagle				1.03	1.03
			Prothonotary Warbler	1.07				1.07
			Red-headed Woodpecker				1.03	1.03
			Rusty Blackbird			1.87		1.87
			Wood Stork			0.04		0.04
124-L	MVN	Louisiana	Rusty Blackbird			0.66		0.66
			Wood Stork			0.82		0.82
130-L	MVN	Louisiana	Rusty Blackbird			1.10		1.10
131.7-R	MVN	Louisiana	Bald Eagle				1.18	1.18
			Prothonotary Warbler	1.18				1.18
			Red-headed Woodpecker				1.18	1.18
			Rusty Blackbird			1.93		1.93
133-L	MVN	Louisiana	Rusty Blackbird			1.23		1.23

MRL SEIS II Work Items	District	State	Species	Season			Year- round	Total
				Breeding	Migration	Winter		
135.7-R	MVN	Louisiana	Bald Eagle				0.95	0.95
			Prothonotary Warbler	0.96				0.96
			Red-headed Woodpecker				0.95	0.95
			Rusty Blackbird			0.96		0.96
136-L	MVN	Louisiana	Bald Eagle				0.12	0.12
			Prothonotary Warbler	0.01				0.01
			Red-headed Woodpecker	0.20			0.10	0.30
			Rusty Blackbird			5.94		5.94
			Swallow-tailed Kite	0.03				0.03
			Wood Stork			0.32		0.32
142-R	MVN	Louisiana	Bald Eagle				0.90	0.90
			Prothonotary Warbler	0.90				0.90
			Red-headed Woodpecker	0.00			0.90	0.90
			Rusty Blackbird			1.08		1.08
143.7-R	MVN	Louisiana	Bald Eagle				0.90	0.90
			Prothonotary Warbler	0.89				0.89
			Red-headed Woodpecker				0.90	0.90
			Rusty Blackbird			0.98		0.98
144-L	MVN	Louisiana	Bald Eagle				0.01	0.01
			Red-headed Woodpecker				0.01	0.01
			Rusty Blackbird			2.03		2.03
147.3-R	MVN	Louisiana	Bald Eagle				0.02	0.02
			Prothonotary Warbler	0.04				0.04
			Red-headed Woodpecker				0.02	0.02
			Rusty Blackbird			1.71		1.71
148-L	MVN	Louisiana	Red-headed Woodpecker	0.08			0.02	0.11
			Rusty Blackbird			1.22		1.22
			Wood Stork			0.01		0.01
149-R	MVN	Louisiana	Bald Eagle				0.79	0.79
			Prothonotary Warbler	0.76				0.76
			Red-headed Woodpecker				0.79	0.79
			Rusty Blackbird			0.92		0.92
152-L	MVN	Louisiana	Bald Eagle				0.05	0.05
			Red-headed Woodpecker	0.00			0.05	0.06
			Rusty Blackbird			0.01		0.01
156.8-L	MVN	Louisiana	Rusty Blackbird				4.40	4.40
			Wood Stork			0.44		0.44
156-R	MVN	Louisiana	Bald Eagle				0.24	0.24

MRL SEIS II Work Items	District	State	Species	Season			Year- round	Total
				Breeding	Migration	Winter		
			Prothonotary Warbler	0.32				0.32
			Red-headed Woodpecker				0.43	0.43
			Rusty Blackbird			5.52		5.52
158-R	MVN	Louisiana	Bald Eagle				0.67	0.67
			Prothonotary Warbler	0.62				0.62
			Red-headed Woodpecker				0.67	0.67
			Rusty Blackbird			0.82		0.82
159.7-R	MVN	Louisiana	Bald Eagle				0.35	0.35
			Prothonotary Warbler	0.10				0.10
			Red-headed Woodpecker				0.35	0.35
			Rusty Blackbird			2.98		2.98
163.5-R	MVN	Louisiana	Bald Eagle				1.56	1.56
			Prothonotary Warbler	2.00				2.00
			Red-headed Woodpecker				1.55	1.55
			Rusty Blackbird			6.64		6.64
			Wood Stork			0.04		0.04
163-L	MVN	Louisiana	Rusty Blackbird			2.06		2.06
165-R	MVN	Louisiana	Rusty Blackbird			1.86		1.86
172.6-R	MVN	Louisiana	Bald Eagle				0.46	0.46
			Prothonotary Warbler	0.16				0.16
			Red-headed Woodpecker	0.02			0.46	0.48
			Rusty Blackbird			16.57		16.57
173.9-R	MVN	Louisiana	Bald Eagle				0.01	0.01
			Red-headed Woodpecker				0.01	0.01
			Rusty Blackbird			0.89		0.89
178-R	MVN	Louisiana	Bald Eagle				9.25	9.25
			Kentucky Warbler	9.25				9.25
			Prothonotary Warbler	9.43				9.43
			Red-headed Woodpecker	0.10			9.25	9.35
			Rusty Blackbird			9.44		9.44
			Swallow-tailed Kite	0.09				0.09
			Wood Thrush	9.43				9.43
180-R	MVN	Louisiana	Bald Eagle				1.37	1.37
			Kentucky Warbler	1.37				1.37
			Prothonotary Warbler	1.40				1.40
			Red-headed Woodpecker				1.37	1.37
			Rusty Blackbird			7.61		7.61
			Wood Thrush	1.40				1.40

MRL SEIS II Work Items	District	State	Species	Season			Year- round	Total
				Breeding	Migration	Winter		
181-L	MVN	Louisiana	Rusty Blackbird			0.63		0.63
189-L	MVN	Louisiana	Red-headed Woodpecker	0.25				0.25
			Rusty Blackbird			16.57		16.57
			Swallow-tailed Kite	0.25				0.25
189-R	MVN	Louisiana	Bald Eagle				0.31	0.31
			Kentucky Warbler	0.31				0.31
			Prothonotary Warbler	0.24				0.24
			Red-headed Woodpecker				0.31	0.31
			Rusty Blackbird			11.72		11.72
			Wood Thrush	0.24				0.24
194.5-R	MVN	Louisiana	Bald Eagle				1.05	1.05
			Kentucky Warbler	1.05				1.05
			Prothonotary Warbler	0.78				0.78
			Red-headed Woodpecker	0.58			1.05	1.62
			Rusty Blackbird			14.76		14.76
			Swallow-tailed Kite	0.08				0.08
			Wood Thrush	0.78				0.78
199-L	MVN	Louisiana	Bald Eagle				0.00	0.00
			Kentucky Warbler	0.00				0.00
			Prothonotary Warbler	0.00				0.00
			Red-headed Woodpecker	0.73			0.00	0.73
			Rusty Blackbird			111.52		111.52
			Swallow-tailed Kite	0.48				0.48
			Wood Stork			0.15		0.15
206.7-R	MVN	Louisiana	Bald Eagle				1.15	1.15
			Kentucky Warbler	1.15				1.15
			Prothonotary Warbler	1.07				1.07
			Red-headed Woodpecker				1.15	1.15
			Rusty Blackbird			3.86		3.86
			Wood Thrush	1.07				1.07
208-L	MVN	Louisiana	Bald Eagle				0.05	0.05
			Kentucky Warbler	0.05				0.05
			Red-headed Woodpecker	0.01			0.05	0.06
			Rusty Blackbird			25.67		25.67
			Swallow-tailed Kite	0.01				0.01
216-R	MVN	Louisiana	Bald Eagle				7.42	7.42
			Kentucky Warbler	7.29				7.29
			Prothonotary Warbler	6.96				6.96
			Red-headed Woodpecker	0.84			7.42	8.25

MRL SEIS II Work Items	District	State	Species	Season			Year- round	Total
				Breeding	Migration	Winter		
			Rusty Blackbird			35.98		35.98
			Swallow-tailed Kite	0.84				0.84
			Wood Thrush	7.11				7.11
223-R	MVN	Louisiana	Bald Eagle				0.81	0.81
			Kentucky Warbler	0.81				0.81
			Prothonotary Warbler	0.81				0.81
			Red-headed Woodpecker	0.10			0.81	0.91
			Rusty Blackbird			0.97		0.97
			Swallow-tailed Kite	0.10				0.10
			Wood Thrush	0.81				0.81
228-R	MVN	Louisiana	Bald Eagle				0.56	0.56
			Kentucky Warbler	0.56				0.56
			Prothonotary Warbler	0.60				0.60
			Red-headed Woodpecker				0.56	0.56
			Rusty Blackbird			1.04		1.04
			Wood Thrush	0.60				0.60
22-R	MVM	Missouri	Bald Eagle			13.57	7.71	21.29
			Kentucky Warbler	17.42				17.42
			Prothonotary Warbler	10.12				10.12
			Red-headed Woodpecker	17.11			20.66	37.76
			Rusty Blackbird			67.18		67.18
			Wood Thrush	17.97				17.97
231-R	MVN	Louisiana	Bald Eagle				4.80	4.80
			Kentucky Warbler	4.80				4.80
			Prothonotary Warbler	4.81				4.81
			Red-headed Woodpecker	0.45			4.80	5.25
			Rusty Blackbird			11.25		11.25
			Swallow-tailed Kite	0.01				0.01
			Wood Thrush	4.82				4.82
240.3-R	MVN	Louisiana	Bald Eagle				0.36	0.36
			Kentucky Warbler	0.36				0.36
			Prothonotary Warbler	0.22				0.22
			Red-headed Woodpecker				0.36	0.36
			Rusty Blackbird			9.24		9.24
			Wood Thrush	0.22				0.22
242.5-R	MVN	Louisiana	Rusty Blackbird			8.72		8.72
246-R	MVN	Louisiana	Rusty Blackbird			0.15		0.15
268-R	MVN	Louisiana	Rusty Blackbird			2.61		2.61

MRL SEIS II Work Items	District	State	Species	Season			Year- round	Total
				Breeding	Migration	Winter		
293.5-R	MVN	Louisiana	Bald Eagle				0.03	0.03
			Kentucky Warbler	0.03				0.03
			Red-headed Woodpecker	0.21			0.03	0.23
			Rusty Blackbird			26.42		26.42
			Swallow-tailed Kite	0.03				0.03
29-R	MVM	Missouri	Bald Eagle			0.39		0.39
			Red-headed Woodpecker	0.34			0.39	0.72
			Rusty Blackbird			2.53		2.53
			Wood Thrush	0.11				0.11
304-R	MVN	Louisiana	Bald Eagle				2.03	2.03
			Kentucky Warbler	2.02				2.02
			Prothonotary Warbler	2.02				2.02
			Red-headed Woodpecker				2.02	2.02
			Rusty Blackbird			2.66		2.66
			Swallow-tailed Kite	1.95				1.95
			Wood Thrush	2.02				2.02
312.5-R	MVN	Louisiana	Bald Eagle				12.65	12.65
			Kentucky Warbler	12.63				12.63
			Prothonotary Warbler	11.35				11.35
			Red-headed Woodpecker	0.00			12.63	12.63
			Rusty Blackbird			13.33		13.33
			Swallow-tailed Kite	15.84				15.84
			Wood Thrush	12.63				12.63
320-R	MVK	Louisiana	Bald Eagle				54.02	54.02
			Kentucky Warbler	53.39				53.39
			Prothonotary Warbler	52.76				52.76
			Red-headed Woodpecker	7.92			54.47	62.39
			Rusty Blackbird			58.05		58.05
			Swallow-tailed Kite	60.13				60.13
			Wood Thrush	53.75				53.75
326-R	MVK	Louisiana	Bald Eagle				15.69	15.69
			Kentucky Warbler	15.36				15.36
			Prothonotary Warbler	10.70				10.70
			Red-headed Woodpecker	4.51			15.66	20.17
			Rusty Blackbird			22.75		22.75
			Swallow-tailed Kite	20.04				20.04
			Wood Thrush	11.13				11.13
330-R	MVK	Louisiana	Bald Eagle				5.96	5.96
			Kentucky Warbler	0.67				0.67
			Prothonotary Warbler	0.09				0.09
			Red-headed Woodpecker	0.55			5.80	6.36

MRL SEIS II Work Items	District	State	Species	Season			Year- round	Total
				Breeding	Migration	Winter		
			Swallow-tailed Kite	10.82				10.82
			Wood Thrush	5.51				5.51
333-R	MVK	Louisiana	Bald Eagle				11.33	11.33
			Kentucky Warbler	3.90				3.90
			Prothonotary Warbler	1.23				1.23
			Red-headed Woodpecker	0.27			13.41	13.68
			Rusty Blackbird			23.92		23.92
			Swallow-tailed Kite	22.46				22.46
			Wood Thrush	11.16				11.16
337-R	MVK	Louisiana	Red-headed Woodpecker	0.11				0.11
			Rusty Blackbird			0.48		0.48
			Swallow-tailed Kite	0.64				0.64
340-R	MVK	Louisiana	Bald Eagle				19.40	19.40
			Kentucky Warbler	19.42				19.42
			Prothonotary Warbler	16.76				16.76
			Red-headed Woodpecker	0.36			19.42	19.79
			Rusty Blackbird			20.31		20.31
			Swallow-tailed Kite	29.33				29.33
			Wood Thrush	19.01				19.01
341-R	MVK	Louisiana	Rusty Blackbird			1.48		1.48
			Swallow-tailed Kite	0.01				0.01
345-R	MVK	Louisiana	Bald Eagle				21.73	21.73
			Kentucky Warbler	13.34				13.34
			Prothonotary Warbler	11.18				11.18
			Red-headed Woodpecker	2.71			22.08	24.79
			Rusty Blackbird			30.78		30.78
			Swallow-tailed Kite	16.70				16.70
			Wood Thrush	19.46				19.46
348-R	MVK	Louisiana	Bald Eagle				4.56	4.56
			Kentucky Warbler	4.52				4.52
			Prothonotary Warbler	4.27				4.27
			Red-headed Woodpecker				4.52	4.52
			Rusty Blackbird			6.40		6.40
			Swallow-tailed Kite	4.35				4.35
			Wood Thrush	4.59				4.59
351-R	MVK	Louisiana	Bald Eagle				9.17	9.17
			Kentucky Warbler	9.05				9.05
			Prothonotary Warbler	6.41				6.41
			Red-headed Woodpecker	9.09			9.39	18.48

MRL SEIS II Work Items	District	State	Species	Season			Year- round	Total
				Breeding	Migration	Winter		
			Rusty Blackbird			61.81	61.81	
			Swallow-tailed Kite	17.41			17.41	
			Wood Thrush	6.96			6.96	
355-R	MVK	Louisiana	Bald Eagle				0.19	0.19
			Kentucky Warbler	0.18				0.18
			Prothonotary Warbler	0.17				0.17
			Red-headed Woodpecker				0.19	0.19
			Rusty Blackbird			2.00		2.00
			Swallow-tailed Kite	0.19				0.19
			Wood Thrush	0.18				0.18
37-R	MVN	Louisiana	Bald Eagle			0.84	0.00	0.85
			Prothonotary Warbler		2.08			2.08
			Red-headed Woodpecker	1.88			2.31	4.19
			Rusty Blackbird			13.74		13.74
			Wood Stork			11.10		11.10
443-L	MVK	Mississippi	Bald Eagle				24.47	24.47
			Kentucky Warbler	24.47				24.47
			Prothonotary Warbler	23.12				23.12
			Red-headed Woodpecker	1.57			24.80	26.37
			Rusty Blackbird			24.66		24.66
			Wood Thrush	24.61				24.61
47.5-R	MVN	Louisiana	Bald Eagle			6.73	3.74	10.47
			Prothonotary Warbler		6.46			6.46
			Red-headed Woodpecker	0.46			10.25	10.71
			Rusty Blackbird			18.46		18.46
			Wood Stork			4.89		4.89
49-R	MVM	Missouri	Bald Eagle				8.54	8.54
			Kentucky Warbler	7.84				7.84
			Red-headed Woodpecker	6.69		2.69		9.38
			Rusty Blackbird			3.29		3.29
			Wood Thrush	7.57				7.57
51-L	MVN	Louisiana	Bald Eagle			4.05	19.43	23.48
			Prothonotary Warbler		23.52			23.52
			Red-headed Woodpecker	2.24			23.72	25.96
			Rusty Blackbird			54.11		54.11
			Swallow-tailed Kite	0.04				0.04
			Wood Stork			2.33		2.33
52.5-R	MVN	Louisiana	Bald Eagle				13.62	13.62
			Prothonotary Warbler		8.27			8.27
			Red-headed Woodpecker	7.85			12.26	20.10

MRL SEIS II Work Items	District	State	Species	Season			Year- round	Total
				Breeding	Migration	Winter		
			Rusty Blackbird			26.22	26.22	
			Swallow-tailed Kite	0.01			0.01	
			Wood Stork			6.08	6.08	
577-L	MVK	Mississippi	Bald Eagle				21.76	21.76
			Kentucky Warbler	24.92				24.92
			Prothonotary Warbler	23.03				23.03
			Red-headed Woodpecker	1.60			25.04	26.64
			Rusty Blackbird			26.97		26.97
			Wood Thrush	25.38				25.38
587-L	MVK	Mississippi	Bald Eagle				21.89	21.89
			Kentucky Warbler	19.78				19.78
			Prothonotary Warbler	19.46				19.46
			Red-headed Woodpecker	1.68			20.50	22.18
			Rusty Blackbird			25.92		25.92
			Wood Thrush	20.37				20.37
58-R	MVN	Louisiana	Bald Eagle				8.68	8.68
			Prothonotary Warbler		4.32			4.32
			Red-headed Woodpecker	2.22			7.99	10.21
			Rusty Blackbird			12.35		12.35
			Wood Stork			9.17		9.17
61.5-R	MVN	Louisiana	Bald Eagle				8.30	8.30
			Prothonotary Warbler		5.39			5.39
			Red-headed Woodpecker	0.04			7.81	7.85
			Rusty Blackbird			15.80		15.80
			Wood Stork			6.25		6.25
611-L	MVK	Mississippi	Bald Eagle				9.90	9.90
			Kentucky Warbler	9.89				9.89
			Prothonotary Warbler	9.87				9.87
			Red-headed Woodpecker				9.88	9.88
			Rusty Blackbird			21.96		21.96
			Wood Thrush	9.91				9.91
615-L	MVK	Mississippi	Bald Eagle				60.30	60.30
			Kentucky Warbler	49.82				49.82
			Prothonotary Warbler	49.28				49.28
			Red-headed Woodpecker	1.13			59.19	60.33
			Rusty Blackbird			67.47		67.47
			Wood Thrush	58.54				58.54
620-R	MVM	Arkansas	Bald Eagle				0.25	0.25
			Kentucky Warbler	0.26				0.26
			Red-headed Woodpecker				0.25	0.25

MRL SEIS II Work Items	District	State	Species	Season			Year- round	Total
				Breeding	Migration	Winter		
			Rusty Blackbird			0.25	0.25	
			Wood Thrush	0.29			0.29	
67-L	MVN	Louisiana	Bald Eagle				2.32	2.32
			Prothonotary Warbler		1.23			1.23
			Red-headed Woodpecker	0.68			2.12	2.80
			Rusty Blackbird			48.09		48.09
			Swallow-tailed Kite	0.07				0.07
			Wood Stork			24.99		24.99
67-R	MVN	Louisiana	Bald Eagle				14.48	14.48
			Prothonotary Warbler		12.55			12.55
			Red-headed Woodpecker	1.35			13.45	14.80
			Rusty Blackbird			32.74		32.74
			Swallow-tailed Kite	0.55				0.55
			Wood Stork			6.36		6.36
682-R	MVM	Arkansas	Bald Eagle				26.97	26.97
			Kentucky Warbler	26.70				26.70
			Prothonotary Warbler	0.29				0.29
			Red-headed Woodpecker	2.89			26.81	29.70
			Rusty Blackbird			42.85		42.85
			Wood Thrush	20.75				20.75
693-R	MVM	Arkansas	Bald Eagle				5.94	5.94
			Kentucky Warbler	0.01				0.01
			Prothonotary Warbler	0.01				0.01
			Red-headed Woodpecker	4.82			6.38	11.20
			Rusty Blackbird			17.67		17.67
			Wood Thrush	2.96				2.96
		Mississippi	Bald Eagle				11.56	11.56
			Kentucky Warbler	11.56				11.56
			Prothonotary Warbler	11.71				11.71
			Red-headed Woodpecker	0.09			11.26	11.35
			Rusty Blackbird			12.72		12.72
			Wood Thrush	12.55				12.55
697-R	MVM	Arkansas	Bald Eagle				12.28	12.28
			Kentucky Warbler	8.41				8.41
			Prothonotary Warbler	1.12				1.12
			Red-headed Woodpecker	0.82			10.75	11.57
			Rusty Blackbird			26.92		26.92
			Wood Thrush	4.81				4.81
		Mississippi	Bald Eagle				5.59	5.59
			Kentucky Warbler	5.59				5.59

MRL SEIS II Work Items	District	State	Species	Season			Year- round	Total
				Breeding	Migration	Winter		
			Prothonotary Warbler	5.32				5.32
			Red-headed Woodpecker				5.59	5.59
			Rusty Blackbird			5.59		5.59
			Wood Thrush	5.59				5.59
705-R	MVM	Arkansas	Bald Eagle				0.49	0.49
			Red-headed Woodpecker	0.33			0.54	0.86
			Rusty Blackbird			1.51		1.51
			Wood Thrush	0.33				0.33
723-R	MVM	Arkansas	Bald Eagle				0.63	0.63
			Red-headed Woodpecker	0.67			0.87	1.53
			Rusty Blackbird			6.65		6.65
			Wood Thrush	0.30				0.30
726-R	MVM	Arkansas	Bald Eagle				6.19	6.19
			Kentucky Warbler	6.22				6.22
			Prothonotary Warbler	5.86				5.86
			Red-headed Woodpecker				6.14	6.14
			Rusty Blackbird			12.74		12.74
			Wood Thrush	5.86				5.86
741-R	MVM	Arkansas	Bald Eagle				7.92	7.92
			Kentucky Warbler	7.80				7.80
			Prothonotary Warbler	5.84				5.84
			Red-headed Woodpecker				7.80	7.80
			Rusty Blackbird			8.51		8.51
			Wood Thrush	7.18				7.18
747-R	MVM	Arkansas	Bald Eagle				4.33	4.33
			Kentucky Warbler	5.68				5.68
			Prothonotary Warbler	5.16				5.16
			Red-headed Woodpecker	0.05			5.53	5.58
			Rusty Blackbird			6.00		6.00
			Wood Thrush	5.17				5.17
754-R	MVM	Arkansas	Bald Eagle				60.37	60.37
			Kentucky Warbler	42.16				42.16
			Prothonotary Warbler	0.01				0.01
			Red-headed Woodpecker	5.78			60.75	66.54
			Rusty Blackbird			86.81		86.81
			Wood Thrush	58.53				58.53
762-R	MVM	Arkansas	Bald Eagle				0.85	0.85
			Kentucky Warbler	14.26				14.26
			Prothonotary Warbler	12.18				12.18
			Red-headed Woodpecker	0.29			14.27	14.56

MRL SEIS II Work Items	District	State	Species	Season			Year- round	Total
				Breeding	Migration	Winter		
			Rusty Blackbird			24.64	24.64	
			Wood Thrush	12.18			12.18	
766-R	MVM	Arkansas	Kentucky Warbler	3.48			3.48	
			Prothonotary Warbler	3.06			3.06	
			Red-headed Woodpecker	0.58			3.43	
			Rusty Blackbird			10.02	10.02	
			Wood Thrush	3.06			3.06	
807-R	MVM	Arkansas	Kentucky Warbler	1.47			1.47	
			Prothonotary Warbler	1.11			1.11	
			Red-headed Woodpecker	1.39			0.38	
			Rusty Blackbird			0.62	0.62	
			Wood Thrush	1.11			1.11	
832-L	MVM	Tennessee	Bald Eagle				6.25	
			Kentucky Warbler	5.98			5.98	
			Prothonotary Warbler	2.62			2.62	
			Red-headed Woodpecker	5.18			7.53	
			Rusty Blackbird			12.38	12.38	
			Wood Thrush	7.91			7.91	
84.3-R	MVN	Louisiana	Bald Eagle				0.27	
			Red-headed Woodpecker				0.27	
			Rusty Blackbird			4.12	4.12	
848-L	MVM	Tennessee	Bald Eagle				30.42	
			Kentucky Warbler	38.74			38.74	
			Prothonotary Warbler	33.21			33.21	
			Red-headed Woodpecker	1.73			41.46	
			Rusty Blackbird			46.10	46.10	
			Wood Thrush	42.36			42.36	
86.1-L	MVN	Louisiana	Bald Eagle				1.08	
			Prothonotary Warbler		1.10		1.10	
			Red-headed Woodpecker	0.05			1.08	
			Rusty Blackbird			5.85	5.85	
			Wood Stork			1.18	1.18	
877-R	MVM	Missouri	Bald Eagle				0.68	
			Kentucky Warbler	0.68			0.68	
			Red-headed Woodpecker				0.68	
			Rusty Blackbird			0.68	0.68	
			Wood Thrush	0.50			0.50	

MRL SEIS II Work Items	District	State	Species	Season			Year- round	Total
				Breeding	Migration	Winter		
88.5-L	MVN	Louisiana	Bald Eagle				2.63	2.63
			Prothonotary Warbler		2.63			2.63
			Red-headed Woodpecker				2.63	2.63
			Rusty Blackbird				2.72	2.72
			Wood Stork				1.12	1.12
882-R	MVM	Missouri	Bald Eagle				1.49	1.49
			Kentucky Warbler	0.18				0.18
			Red-headed Woodpecker	0.34			1.56	1.90
			Rusty Blackbird			2.70		2.70
			Wood Thrush	0.99				0.99
889-R	MVM	Missouri	Rusty Blackbird			0.00	0.00	
88-R	MVN	Louisiana	Bald Eagle				2.14	2.14
			Prothonotary Warbler		1.85			1.85
			Red-headed Woodpecker	0.18			2.81	2.99
			Rusty Blackbird			4.54		4.54
			Wood Stork			1.52		1.52
90.6-R	MVN	Louisiana	Rusty Blackbird			0.00	0.00	
			Wood Stork			0.09	0.09	
90.8-L	MVN	Louisiana	Wood Stork			0.79	0.79	
902-L	MVM	Tennessee	Bald Eagle				0.09	0.09
			Red-headed Woodpecker				0.09	0.09
			Rusty Blackbird			0.31		0.31
90-L	MVN	Louisiana	Bald Eagle				0.83	0.83
			Prothonotary Warbler		0.83			0.83
			Red-headed Woodpecker				0.83	0.83
			Rusty Blackbird			0.83		0.83
			Wood Stork			0.01		0.01
91.2-L	MVN	Louisiana	Wood Stork			3.59	3.59	
915-R	MVM	Missouri	Bald Eagle				10.88	10.88
			Kentucky Warbler	17.77				17.77
			Prothonotary Warbler	0.82				0.82
			Red-headed Woodpecker	0.64			17.83	18.47
			Rusty Blackbird			66.59		66.59
			Wood Thrush	12.77				12.77
918-L	MVM	Kentucky	Bald Eagle				0.45	0.45
			Kentucky Warbler	0.00				0.00
			Red-headed Woodpecker	1.02			0.48	1.50

MRL SEIS II Work Items	District	State	Species	Season			Year- round	Total
				Breeding	Migration	Winter		
			Rusty Blackbird			1.13	1.13	
			Wood Thrush	0.15			0.15	
91-L	MVN	Louisiana	Wood Stork			0.78	0.78	
92.6-L	MVN	Louisiana	Bald Eagle				7.02	
			Prothonotary Warbler		7.02		7.02	
			Red-headed Woodpecker				7.02	
			Rusty Blackbird			7.11	7.11	
			Wood Stork			2.29	2.29	
920-R	MVM	Missouri	Bald Eagle				11.64	
			Kentucky Warbler	11.59			11.59	
			Prothonotary Warbler	5.67			5.67	
			Red-headed Woodpecker				11.61	
			Rusty Blackbird			32.82	32.82	
			Wood Thrush	6.12			6.12	
921-L	MVM	Kentucky	Red-headed Woodpecker				0.04	
			Rusty Blackbird			0.15	0.15	
			Wood Thrush	0.01			0.01	
922-L	MVM	Kentucky	Kentucky Warbler	0.05			0.05	
			Red-headed Woodpecker				0.05	
			Rusty Blackbird			0.07	0.07	
92-L	MVN	Louisiana	Bald Eagle				1.31	
			Prothonotary Warbler		1.31		1.31	
			Red-headed Woodpecker				1.31	
			Rusty Blackbird			1.31	1.31	
			Wood Stork			0.52	0.52	
94.5-L	MVN	Louisiana	Wood Stork			0.00	0.00	
94.6-R	MVN	Louisiana	Wood Stork			0.04	0.04	
947-R	MVM	Missouri	Kentucky Warbler	0.58			0.58	
			Red-headed Woodpecker	0.69			1.27	
			Rusty Blackbird			5.86	5.86	
			Wood Thrush	0.97			0.97	
955-R	MVM	Illinois	Bald Eagle				2.25	
			Kentucky Warbler	2.65			2.65	
			Red-headed Woodpecker	0.10			2.55	
			Rusty Blackbird			5.59	5.59	
			Wood Thrush	2.14			2.14	

MRL SEIS II Work Items	District	State	Species	Season			Year- round	Total
				Breeding	Migration	Winter		
956-R	MVM	Illinois	Bald Eagle				2.54	2.54
			Kentucky Warbler	2.56				2.56
			Red-headed Woodpecker	1.37			2.43	3.80
			Rusty Blackbird			4.65		4.65
			Wood Thrush	2.59				2.59
958-R	MVM	Illinois	Bald Eagle				0.04	0.04
			Kentucky Warbler	0.04				0.04
			Red-headed Woodpecker				0.04	0.04
			Rusty Blackbird			0.04		0.04
961-R	MVM	Illinois	Bald Eagle				0.44	0.44
			Kentucky Warbler	0.43				0.43
			Red-headed Woodpecker				0.43	0.43
			Wood Thrush	0.51				0.51
962.5-R	MVM	Illinois	Bald Eagle				3.99	3.99
			Kentucky Warbler	4.00				4.00
			Prothonotary Warbler	0.45				0.45
			Red-headed Woodpecker			0.22	3.78	4.00
			Rusty Blackbird			3.48		3.48
			Wood Thrush	4.32				4.32
965-R	MVM	Illinois	Bald Eagle				0.41	0.41
			Kentucky Warbler	0.19				0.19
			Prothonotary Warbler	0.46				0.46
			Red-headed Woodpecker	0.05		0.64		0.69
			Rusty Blackbird			1.35		1.35
			Wood Thrush	1.49				1.49
97.4-R	MVN	Louisiana	Wood Stork			0.08	0.08	
98.3-R	MVN	Louisiana	Wood Stork			0.06	0.06	
98.7-L	MVN	Louisiana	Prothonotary Warbler		0.47			0.47
			Red-headed Woodpecker	0.04			0.56	0.60
			Rusty Blackbird			1.13		1.13
Cumulative Total				1,786	79	1,668	1,356	4,890