



**US Army Corps
of Engineers**

Vicksburg District
4155 Clay Street
Vicksburg, MS 39183-3435
www.mvk.usace.army.mil



Public Notice

APPLICATION NO.:	<u>MVK-2018-310</u>
EVALUATOR:	<u>Mr. Andy Sanderson</u>
PHONE NO.:	<u>(601) 631-5083</u>
E-MAIL:	<u>Andy.Sanderson@usace.army.mil</u>
DATE:	<u>July 18, 2018</u>
EXPIRATION DATE:	<u>August 7, 2018</u>

Interested parties are hereby notified that the U.S. Army Corps of Engineers, Vicksburg District is considering an application for a Department of the Army permit for the work described herein. Comments should be forwarded to the Vicksburg District, Attention: CEMVK-OD-F, 4155 Clay Street, Vicksburg, Mississippi 39183-3435.

Application also has been made to the Louisiana Department of Environmental Quality, Office of Environmental Services for a Water Quality Certification in accordance with La. R.S. 30.2074(A)(93), and Section 401 of the Clean Water Act (P.L. 95-217). Additional information is on file with the above office, and may be inspected at any time between 8:00 a.m. and 4:30 p.m. weekdays. Copies may be obtained upon payment of cost of copying. Comments concerning the application can be filed with the Office of Environmental Services within 20 days of this notice to the following address: Office of Environmental Services, Post Office Box 4313, Baton Rouge, Louisiana 70821-4313.

Law Requiring a Permit: Section 404 of the Clean Water Act (33 U.S.C. 1344), which applies to discharges of dredged and / or fill material into waters of the United States.

Name of Applicant:
Ms. S. Teala Johnson
Entergy
411 Pride Drive; L-EDI-CUS
Hammond, Louisiana 70401

Name of Agent:
Mr. Walt Dinkelacker
Headwaters, Incorporated
Post Office Box 2836
Ridgeland, Mississippi 39158

Location of Work: Section 19, T15N-R3W, Latitude 32.2680, Longitude -92.7169, within the Little Dugdemona River watershed in the Dugdemona Drainage Basin (8-digit USGS HUC: 08040303), Jackson Parish, Louisiana.

Description of Work: (See enclosed map and drawings.)

The following descriptions of the proposed project and associated impacts are based upon information provided by the applicant.

The applicant is applying for a Department of the Army permit to discharge dredged and/or fill material into jurisdictional wetlands for the purpose of constructing a substation at a new location. Construction on the site would consist of the substation and an access road for use by Entergy employees.

The property is approximately 18.41 acres in size. Within the property boundary, there are approximately 6.57 acres of wetlands and 1,090 linear feet (lf) of perennial streams. Of the jurisdictional areas on-site, approximately 0.87-acre of forested wetlands would be cleared, approximately 2.18-acres of forested wetlands would be filled, and approximately 0.15-acre of emergent wetlands would be filled for a total of 3.20 acres of impact. The remaining 3.37 acres of jurisdictional wetlands on-site would be avoided and no impacts to streams are proposed. Total discharge of fill into wetlands would be approximately 7,500 cubic yards.

The vegetative communities within the project area are dominated by common rush, panicgrass, water oak, sweetgum, marsh flatsedge, willow oak, American hornbeam, red maple, Chinese privet, and loblolly pine. Soil within the project site is dominated by the Guyton-Ouachita-Ochlockonee association with a hydric rating of 65 percent.

The applicant proposes to mitigate for the unavoidable loss of jurisdictional impacts through the purchase of credits from an USACE approved mitigation bank that services the project area.

Upon reviewing this notice, you should write to this office to provide your opinion of the impacts this work will have on the natural and human environment and address any mitigation you believe is necessary to offset these impacts. Other comments are welcome, but the above information will further our review of the applicant's plan as proposed. Comments of a general nature are not as helpful as those specific to the impacts of the subject project.

State Water Quality Permit: The State Pollution Control Agency must certify that the described work will comply with the State's water quality standards and effluent limitations before a Corps permit is issued.

Cultural Resources: The Regulatory Archaeologist has reviewed the latest published version of the National Register of Historic Places, state lists of properties determined eligible, and other sources of information. The following is current knowledge of the presence or absence of historic properties and the effects of the proposed undertaking upon these properties. Currently this office is coordinating with the State Historic Preservation Officer, Federally-recognized

Tribes, and other interested parties regarding potential effects to historic properties that could result from the proposed activity.

Endangered Species: Listed species for the project area include the Northern long-eared bat and the Red-cockaded woodpecker. Based on information provided by the applicant, our initial finding is that the proposed work may affect the Northern long-eared bat but will not result in prohibited incidental take pursuant to the final 4(d) rule. Utilizing the Standard Local Operating Procedure for Endangered Species (SLOPES) as signed on December 1, 2014, between the U.S. Army Corps of Engineers, Vicksburg District and the U.S. Fish and Wildlife Service, the Corps has determined that the proposed activity would have no effect on the Red-cockaded woodpecker. This proposal is being coordinated with the U.S. Fish and Wildlife Service, and any comments regarding endangered species or their critical habitat will be addressed in our evaluation of the described work.

Floodplain: In accordance with 44 CFR Part 60 (Floodplain Management and Use), participating communities are required to review all proposed development to determine if a floodplain development permit is required. Floodplain administrators should review the proposed development described in this public notice and apprise this office of any flood plain development permit requirements. The proposed project site is not within the 100 year floodplain.

Evaluation Factors: The decision whether or not to issue a permit will be based upon an evaluation of the probable impact of the proposed activity on the public interest. That decision will reflect the national concern for both protection and utilization of important resources. The benefits which may be expected to accrue from the proposal must be balanced against its expected adverse effects. All factors which may be relevant to the proposal will be considered; among these are conservation, economics, aesthetics, general environmental concerns, historic values, fish and wildlife values, flood damage prevention, land use classification, navigation, recreation, water supply, water quality, energy needs, safety, food requirements and, in general, the needs and welfare of the people. Evaluation of the proposed activity will include application of the guidelines published by the Environmental Protection Agency under authority of Section 404(b) of the Clean Water Act.

Public Involvement: The purpose of this notice is to solicit comments from the public; Federal, State, and local agencies and officials; Indian Tribes; and other interested parties. These comments will be used to evaluate the impacts of this project. All comments will be considered and used to help determine whether to issue the permit, deny the permit, or issue the permit with conditions, and to help us determine the amount and type of mitigation necessary. This information will be used in our Environmental Assessment or Impact Statement. Comments are also used to determine the need for a public hearing.

Opportunity for a Public Hearing: Any person may make a written request for a public hearing to consider this permit application. This request must be submitted by the public notice expiration date and must clearly state why a hearing is necessary. Failure of any agency or individual to comment on this notice will be interpreted to mean that there is no objection to the proposed work. Please bring this announcement to the attention of anyone you know who might be interested in this matter.

Notification of Final Permit Actions: Each month, the final permit actions from the preceding month are published on the Vicksburg District Regulatory web page. To access this information, you may follow the link from the Regulatory web page, <http://www.mvk.usace.army.mil/Missions/Regulatory.aspx>.



Thomas A. McCabe
Chief, Evaluation Section
Regulatory Branch



- Legend**
- Data Points
 - Boundary
 - Streams/1090-ft
 - Wetlands/6.57ac

CEMVK-OD-FE AS-MVK-2018-310
S. TEALA JOHNSON
ENERGY LOUISIANA, LLC



July 11, 2018
MVK-2018-310
 Applicant:
 Entergy Louisiana, LLC
 Proposed Work:
 Site Development
 Location:
 Sections 19, T15N-R3W
 Jonesboro North, Quadrangle
 Jackson Parish, LA
 Map Background:
 NAIP Aerial (2010)
Preliminary
Jurisdictional Determination
 Prepared by:
 Robert G. Ulmer, Jr.

US Army Corps of Engineers

Regulatory Branch
Enforcement Section

0 300 600
 Feet



CEMVK-OD-FE AS-MVK-2018-310

S. TEALA JOHNSON
ENERGY LOUISIANA, LLC



July 11, 2018
MVK-2018-310
Applicant:
Energy Louisiana, LLC
Proposed Work:
Site Development
Location:
Sections 19, T15N-R3W
Jonesboro North, Quadrangle
Jackson Parish, LA
Map Background:
NAIP Aerial (2010)
Preliminary
Jurisdictional Determination
Prepared by:
Robert G. Ulmer, Jr.


US Army Corps of Engineers

Regulatory Branch
Enforcement Section

0 1,400 2,800
Feet

Legend

-  Perennial Stream (1,090.59 lf)
-  Forested Wetlands (Cleared) - 0.87 ac
-  Forested Wetlands (Grading/Fill) - 2.18 ac
-  Forested Wetlands (Avoided) - 2.50 ac
-  Emergent Wetlands (Filled) - 0.15 ac
-  Emergent Wetlands (Avoided) - 0.86 ac
-  Project Area (18.41 ac)



CEMVK-OD-FE AS-MVK-2018-310

S. TEALA JOHNSON
ENTERGY Louisiana, LLC



Date Created 4/4/2018 Created by JDL

Entergy
New Hodge Substation
Sec. 19 T 15 N - R 3 W
Jackson Parish, Louisiana
Wetland Impact Map



NAD 1983 StatePlane Louisiana North FIPS 1701 Feet

USDA NAIP 2017 Imagery Basemap